

Mercury operator chairs feature a contoured seat and backrest. Their comprehensive suite of functional controls and options provide comfort and support during prolonged periods of seated work.

The fully upholstered task seating range is available with a choice of backrest heights, tilt actions, arm options and two variations of mechanism. Mercury can be tailored to meet your exact requirements.



## Features

### Standard Features

(\*Selected models only)

- 5 Star base\*
- Tubular Steel cantilever frame\*
- 50mm Hard wheel castors\*
- Glides\*
- Height adjustable back\*
- Height adjustable ratchet back\*
- Independent mechanism with seat and back locking function\*
- Standard mechanism with back locking function\*
- Medium back\*
- High back\*
- Fixed arms\*
- Height adjustable arms\*
- Stool height variation\*

### Optional Features

(\*Selected models only)

- 50mm seat depth adjustment\*
- Multi-Fabrics
- Inflatable lumbar support\*
- Choice of finish options available

### Performance Standards

This product has been designed to conform to the following standards and has been tested for type approval.

- BS EN 1335-1:2009
- BS EN 1335-2:2009
- BS EN 1335-3:2009

## Finishes

### Base Finishes




Black  
(Plastic)




Polished  
Aluminium

### Components Finishes



Black  
(Plastic)

### Frame Finishes



Black  
(Powder Coat)



Polished  
Chrome

### M20 / M26

Overall Height: 870-1100mm  
Overall Width: 600mm  
Overall Depth: 580mm  
Seat Width: 460mm  
Seat Height: 460-585mm  
Seat Depth: 440mm



### M20A / M26A

Overall Height: 870-1100mm  
Overall Width: 600mm  
Overall Depth: 580mm  
Seat Width: 460mm  
Seat Height: 460-585mm  
Seat Depth: 440mm  
Arm Height: 200mm



### M20HA / M2HA

Overall Height: 870-1100mm  
Overall Width: 600mm  
Overall Depth: 580mm  
Seat Width: 460mm  
Seat Height: 460-585mm  
Seat Depth: 440mm  
Arm Height: 180-255mm



### M60 / M66

Overall Height: 940-1170mm  
Overall Width: 600mm  
Overall Depth: 580mm  
Seat Width: 460mm  
Seat Height: 460-585mm  
Seat Depth: 440mm



### M60A / M66A

Overall Height: 940-1170mm  
Overall Width: 600mm  
Overall Depth: 580mm  
Seat Width: 460mm  
Seat Height: 460-585mm  
Seat Depth: 440mm  
Arm Height: 200mm



### M60HA / M66HA

Overall Height: 940-1170mm  
Overall Width: 600mm  
Overall Depth: 580mm  
Seat Width: 460mm  
Seat Height: 460-585mm  
Seat Depth: 440mm  
Arm Height: 180-255mm



### M20V

Overall Height: 900mm  
Overall Width: 600mm  
Overall Depth: 570mm  
Seat Width: 460mm  
Seat Height: 490mm  
Seat Depth: 440mm




### M20VA

Overall Height: 900mm  
Overall Width: 600mm  
Overall Depth: 570mm  
Seat Width: 460mm  
Seat Height: 490mm  
Seat Depth: 440mm  
Arm Height: 200mm




### M20D

Overall Height: 1010-1370mm  
Overall Width: 630mm  
Overall Depth: 630mm  
Seat Width: 460mm  
Seat Height: 600-855mm  
Seat Depth: 440mm



**Material Content**

Components are constructed of the following



**Recycled Content**

Contains up to 40.00% of Recycled Material



**Recyclability**

The range is 99% recyclable

99%

Environmental information for this range has been based on M20. For more detail please refer to individual EPA sheets.

**The Senator Group 3 R's**

The Senator Group is committed to continually improving the sustainability of all environmental aspects within our business.

To meet both international standards and our own environmental targets we apply the three R's principle

**-Reduce, Reuse and Recycle.**

Whilst recycling is the element which receives the most exposure it is actually the last option available and should never be the prime target in anyone's battle to reduce waste.

It is our duty as individuals and as a company to initially attempt to **Reduce** usage. Then we should look to **Reuse** wherever possible and finally, only after these two processes have been exhausted, should we consider **Recycling**.

Reduce  
Reuse  
Recycle